



The Impact of Inconsistent Forecasts on Trust



Jessica N. Burgeno & Susan L. Joslyn
University of Washington

Introduction

- The U.S. National Weather Service believes forecast consistency (e.g., forecast provided on day 1 the same as day 2) is important for user trust (1).
- Because weather models are constantly updating, growing more accurate on average (2, 3), preserving consistency can be at a cost to accuracy.
- The negative effect of inaccuracy on trust is well supported (4-6).
- And users tend to base their own estimate on the average of discrepant advisors (7).
- However, there is little to no evidence for the negative effect of sequential inconsistency on trust anticipated by the National Weather Service.

Research Questions

- Does inconsistency reduce user trust?
- How does it relate to the already established reduction in trust due to inaccuracy?
- To what degree are participants influenced by earlier forecasts when they are inconsistent?

Method

Task

- Undergraduate participants made several school closure decisions based on snow accumulation forecasts made 2-and 1-day prior to the expected snow storm.
- Participants earned a cash reward commensurate with performance.

Instructions: expect ≥ 6 inches of snow accumulation \rightarrow **Close**
 expect < 6 inches \rightarrow **Stay Open**

Cost Structure

- Starting balance: 120pts

		Observed Accumulation	
		< 6 in. snow	≥ 6 in. snow
Decision	Open	0 pts	6 pts penalty
	Close	2 pts cost	2 pts cost

Independent Variables

Within subjects

- Consistency** Consistent: Monday=Tuesday snow forecast (in inches)
Inconsistent: Monday \neq Tuesday snow forecast (difference = 1-2 in.)
- Accuracy** Accurate: Tuesday snow forecast = Observed snow (in inches)
Inaccurate: Tuesday snow forecast \neq Observed snow (difference = 2 in.)


Dependent Variables

- Trust** 6-point scale: "Not at all" to "Completely"
- Snow Accumulation Estimates** (in inches)

Control Variables (unless otherwise specified)

- Forecast range: 4-7 in. (M=5.5); Observed Accumulation range: 4-7 in. (M=5.5)
- Threshold crossing: Inaccuracies cross the 6 inch decision threshold

Trial Events (each shown on separate computer screens)



Stimuli

2x2 within subjects designs; only Day 1 Inaccurate/Inconsistent forecasts differed between experiments.

	Experiment 1			Experiment 2			Experiment 3		
	Accurate	Inaccurate	Outcome	Accurate	Inaccurate	Outcome	Accurate	Inaccurate	Outcome
Consistent	Day 1	Day 2	Outcome	Day 1	Day 2	Outcome	Day 1	Day 2	Outcome
	A	B		C	D		E	F	
	4 4 4	4 4 6		4 4 4	4 5 7		4 4 4	4 5 7	
Inconsistent	5 5 5	5 5 7		5 5 7	5 4 6		5 5 7	5 4 6	
	6 6 6	6 6 4		6 6 4	6 7 5		6 6 4	6 7 5	
	7 7 7	7 7 5		7 7 5	7 6 4		7 7 5	7 6 4	
	C	D		E	F		G	H	
4 6 6	4 5 7		4 5 7	4 5 7		4 5 7	4 5 7		
5 7 7	5 4 6		5 4 6	5 4 6		5 4 6	5 4 6		
6 4 4	6 7 5		6 7 5	6 7 5		6 7 5	6 7 5		
7 5 5	7 6 4		7 6 4	7 6 4		7 6 4	7 6 4		

Experiment 2

Changes:
wider range of forecasts made all inconsistencies & inaccuracies 2"

3
2
9
8

Experiment 3

Changes:
all inconsistencies & inaccuracies crossed decision threshold, but some Day 1 = outcome


7
6
5
4

Experiment 1 Results (N=363)

Inconsistencies: 1.5 in. on average;
 $\frac{1}{2}$ cross decision threshold

- Trust for Consistent (M=3.21) > Inconsistent (M=3.07)***
- Trust for Accurate (M=3.35) > Inaccurate (M=2.93)***
- Inaccuracy effect, $\eta_p^2=.26$ > Inconsistency effect, $\eta_p^2=.05$
- Interaction: Inconsistency reduces trust more when accurate**


*p<.05, **p<.01, ***p<.001



Experiment 2 Results (N=162)

Inconsistencies: $\frac{1}{2}$ cross decision threshold
Inaccurate Inconsistent forecasts: 2-9 in.
Fixed inconsistency difference confound


- Trust for Consistent (M=3.32) > Inconsistent (M=3.12)***
- Trust for Accurate (M=3.41) > Inaccurate (M=3.03)***
- Inaccuracy effect, $\eta_p^2=.25$ > Inconsistency effect, $\eta_p^2=.07$



Experiment 3 Results (N=158)

Inconsistencies: all cross decision threshold
Fixed both inconsistency difference and threshold crossing confounds

- Trust for Consistent (M=3.68) > Inconsistent (M=3.05)***
- Trust for Accurate (M=3.44) > Inaccurate (M=3.00)***
- Inaccuracy effect, $\eta_p^2=.30$ > Inconsistency effect, $\eta_p^2=.21$
- Interaction: Inconsistency reduces trust more when accurate***



Results: Snow Accumulation Estimates

Weighting of Tuesday forecast was more than 7 times greater than Monday forecast in every study.

Conclusions

- Inaccuracy and Inconsistency both reduce trust; the effect of inaccuracy was greater and inconsistency reduced trust primarily when forecasts were accurate.
- Therefore it is inadvisable for forecasters to sacrifice accuracy in favor of consistency.
- People weighted recent forecasts much more heavily than previous forecasts, suggesting they may understand that more recent forecasts are more accurate.

References

1. National Oceanographic and Atmospheric Administration. (2016). Risk communication and behavior... 2. Lazo, J. K., Morss, R. E., & Demuth, J. L. (2009). Bulletin of the American Meteorological Society, 90(6), 785. 3. Wilson, L. J., & Giles, A. (2013). Meteorological Applications, 20(2), 206. 4. Gupta, N., Bisantz, A. M., & Singh, T. (2001). In Proceedings of the Human Factors and Ergonomics Society Annual Meeting, 45(23), 1699. 5. Kahn, B. E., & Luce, M. F. (2003). Marketing Science, 22(3), 393. 6. Joslyn, S. L., & LeClerc, J. E. (2012). Journal of Experimental Psychology: Applied, 18(1), 126. 7. Budesu, D. V. (2005). In Information Sampling and Adaptive Cognition, 327.